

[Lead2pass New Easily Pass NS0-158 Exam By Training Lead2pass Latest VCE Dumps (91-100)]

Lead2pass 2017 October New [NetApp NS0-158 Exam Dumps! 100% Free Download! 100% Pass Guaranteed!](#) Thank you so much Lead2pass. You helped me passing my NS0-158 exam easily, 90% of the exam questions from the dump appeared in my exam.

Following questions and answers are all new published by NetApp Official Exam Center: <https://www.lead2pass.com/ns0-158.html>

QUESTION 91 Which statement is true about a SnapMirror destination vserver? A. It must have a read-only Vserver root volume. B. It must be in the same cluster as the source Vserver. C. It must be created with the same language type as the source Vserver. D. It must have a different storage efficiency policy than the source Vserver. Answer: C

QUESTION 92 A customer has a 4-node cluster. Two nodes have FlashCache and the other two nodes have Flash Pools. The customer is interested in deploying an OLTP application with a workload that consists of an extreme number of small random writes on four LUNs spread across four volumes. What should the customer do to improve performance for the OLTP application? A. Place all volumes for the application on the nodes with Flash Pools. B. Deploy all volumes for the application on the two nodes with the FlashCache installed. C. Split the volumes between the two nodes with FlashCache and two of the nodes with Flash Pools. D. Place the volume with the highest read load on the Flash Pool nodes and place the other volumes on the FlashCache nodes. Answer: A

QUESTION 93 Your company just purchased four additional FAS8060 nodes to add to an existing 12-node NAS cluster made up of FAS6290s. After joining the four new nodes, how many more nodes are allowed before you reach the maximum supported configuration for a mixed FAS6290/8060 cluster? A. 8 B. 2 C. 4 D. 16 Answer: A

Explanation:

<http://www.netapp.com/us/products/storage-systems/fas8000/fas8000-tech-specs.aspx>

QUESTION 94 During a storage failover you run the storage failover show-takeover command and it displays the messages "relocating its SFO aggregate" and "CFO aggregates not attempted". How would you relocate the CFO aggregate? A. Wait for the failed controller to come online and takeover the aggregate. B. Wait for the CFO aggregate to show "done" once the SFO is complete. C. Put the CFO aggregate online to force the data aggregate to come online. D. Force giveback of the failed controller to force that data aggregate to come online. Answer: B

QUESTION 95 When assigning shelf IDs to SAS-connected shelves, which statement is true? A. They only need to be unique within an HA pair. B. They only need to be unique within a stack. C. They only need to be unique within a node. D. They need to be unique within a cluster. Answer: A

Explanation: IDs must be unique within an HA pair.

<https://library.netapp.com/ecmdocs/ECMP1256807/html/GUID-FF56A1A7-F2ED-4F3D-BC2A-366609422B4D.html>

QUESTION 96 What is the default privileged account used to manage a clustered Data ONTAP storage system? A. administrator B. root C. admin D. pseudo root Answer: C

Explanation: The default cluster account admin is an alternative administrative user account username

https://library.netapp.com/ecm/ecm_download_file/ECMP1196798

QUESTION 97 Which statement describes a MetroCluster environment in clustered Data ONTAP? A. A single cluster at each site interconnected using FC switches and Ethernet switches. B. A single cluster at each site interconnected using FC switches only. C. A single HA pair cabled across sites using FC switches. D. A single HA pair stretched across sites using extended cables. Answer: D

Explanation:

http://www.unitis.hu/downloads/MetroClusterContinuousAvailabilitySEPresentation_.pdf

QUESTION 98 You have an aggregate with 10 TB free. You create a 1 TB volume with space-guarantee set to none. In that volume, you create a 500 GB LUN with space-reserve enabled. How much space is available in the aggregate before data is written to the LUN? A. 10 TB B. 9.5 TB C. 8.5 TB D. 9 TB Answer: B

QUESTION 99 AutoSupport recently stopped working. No changes were made on the cluster itself. Which three factors outside of the cluster would cause the failure? (Choose three.) A. changes to DNS B. changes to the firewall C. changes to the Active Directory service account D. changes to your NetApp support user ID E. changes to the proxy server Answer: ABE

QUESTION 100 Which two must already exist before creating a subnet? (Choose two.) A. storage virtual machine B. failover group C. broadcast domain D. IP space Answer: CD

Explanation:

<http://www.bradreese.com/how-to-subnet-a-network.pdf>

The IPspace feature enables a single storage system to be accessed by clients from more than one disconnected network, even if those clients are using the same IP address. An IPspace defines a distinct IP address space in which vFiler units can participate. IP addresses defined for an IPspace are applicable only within that IPspace. A distinct routing table is maintained for each IPspace. No cross-IPspace traffic routing happens.

<https://library.netapp.com/ecmdocs/ECMP1155585/html/GUID-4C8A392E-290E-4F9C-91E8-EBF3E2047B06.html>

More free Lead2pass **NS0-158** exam new questions on Google Drive: <https://drive.google.com/open?id=0B3Syig5i8gpDSINsODFqU2FNSEk>

Suggestion, read NS0-158 questions carefully try to understand or guess what they're asking for. Hope everyone passes. 2017 **NetApp NS0-158** (All 121 Q&As) exam dumps (PDF&VCE) from Lead2pass: <https://www.lead2pass.com/ns0-158.html> [100% Exam Pass Guaranteed]